



a second component comprising a compound of formula I



or a stereoisomeric form of the compound of formula I, or a physiologically tolerated salt of the compound of formula I; and

a third component comprising a pharmaceutically tolerated excipient;

wherein the first component has a concentration from about 2 to about 20 mg and the second component has a concentration from about 0.3% to about 50% of the first component.

✓ ✓ ✓ ✓ ✓ ✓  
In claims 13, 14, 15, 16, 17, and 29, line 1, please delete "claim 1" and insert --claim 12-- therefor.



LAW OFFICES

FINNEGAN, HENDERSON,  
FARABOW, GARRETT,  
& DUNNER, L.L.P.  
1300 I STREET, N. W.  
WASHINGTON, D. C. 20005  
202-408-4000

20. (Amended) A method of treating an immunological disease comprising administering to a patient in need of such treatment, a therapeutically effective amount of a solid composition comprising

a first component comprising 5-methyl-4'-trifluoromethyl-4-isoxazolecarboxanilide;

a second component comprising a compound of formula I



or a stereoisomeric form of the compound of formula I, or a physiologically tolerated salt of the compound of formula I; and

a third component comprising a pharmaceutically tolerated excipient;

wherein the first component has a concentration from about 2 to about 20 mg and the second component has a concentration from about 0.3% to about 50% of the first component.

In claim 22, line 1, please delete "claim 12" and insert --claim 20-- therefor.

In claim 23, line 1, please delete "claim 13" and insert --claim 22-- therefor.

In claim 24, line 1, please delete "claim 12" and insert --claim 20-- therefor.



In claim 25, line 1, please delete "claim 15" and insert --claim 24-- therefor.

Subst.  
D<sup>3</sup>

26. (Amended) A method of treating a disease comprising administering to a patient in need of such treatment, a therapeutically effective amount of a solid composition comprising

a first component comprising 5-methyl-4'-trifluoromethyl-4-isoxazolecarboxanilide;

a second component comprising a compound of formula I



or a stereoisomeric form of the compound of formula I, or a physiologically tolerated salt of the compound of formula I; and